


Epson PowerLite[®] S7

MULTIMEDIA PROJECTOR

| Product Name | Product Code | UPC |
|----------------------------|--------------|-----------------|
| PowerLite S7 | V11H328020 | 0 10343 87410 7 |
| Replacement Lamp | V13H010L54 | 0 10343 87421 3 |
| Replacement Air Filter Set | V13H134A25 | 0 10343 87422 0 |



Specifications

Projection System

Epson 3LCD, 3-chip optical engine

Projection Method

Front/rear/ceiling mount

Driving Method

Epson Poly-silicon TFT Active Matrix

Pixel Number

480,000 dots (800 x 600) x 3

White Light Output*

2300 lumens (ISO 21118 Standard)

Color Light Output*

2300 lumens

Aspect Ratio

4:3

Native Resolution

800 x 600 (SVGA)

Resize

640 x 480 (VGA), 1024 x 768 (XGA),
1152 x 864 (SXGA1), 1280 x 800 (WXGA),
1440 x 900 (WSXGA), 1280 x 960 (SXGA2),
1280 x 1024 (SXGA3), 1280 x 768 (WXGA60-1)
1360 x 768 (WXGA60-2), 1400 x 1050 (SXGA+)

Lamp Type

175 W UHE (E-TORL)

Lamp Life***

Up to 5000 hours (ECO Mode)

Up to 4000 hours (Normal Mode)

Throw Ratio Range

1.45 – 1.96 (4:3)

Size (projected distance)

30" – 350" (2.9' – 34.4')

Keystone Correction Automatic

N/A

Keystone Correction Manual

Vertical: ± 30 degrees

USB Plug 'n Play

Projector is Mac compatible via
DVI to VGA adapter (not included)
USB Plug 'n Play for Windows 2000 or later

Contrast Ratio

Up to 2000:1

Color Reproduction

16.77 million colors

Projection Lens

Type

Manual focus

F-number

1.44

Focal Length

16.6mm

Zoom Ratio

Digital zoom 1.0 – 1.35

Other

Display Performance

NTSC: 480 lines

PAL: 560 lines

(Depends on observation of the
multi-burst pattern)

Input Signal

NTSC/NTSC4.43/PAL/M-PAL/N-PAL/

PAL60/SECAM/SDTV/HDTV

Interfaces

Computer/component video:

D-sub 15 pin x 1

S-video: Mini DIN x 1

Composite video: RCA (Yellow) x 1

Audio in: Stereo Mini x 1

USB connector: Type B x 1

Monitor Out: D-Sub 15 pin x 1

Audio Out: Stereo Mini x 1

Speaker

1 W (Mono)

Operating Temperature

41 ° to 95 °F (5 ° to 35 °C)

Power Supply Voltage

100 – 240 V ±10%, 50/60 Hz

Power Consumption

244 W (Normal Mode)

2.6 W Standby (Communication On)

0.3 W Standby (Communication Off)

Fan Noise

34 dB (Normal Mode)

29 dB (ECO Mode)

Security

Kensington[®]- style lock provision,

Padlock and security anchor bar

Dimensions (W x D x H)

Including feet: 11.6" x 9.0" x 3.1"

Excluding feet: 11.6" x 9.0" x 3.0"

Weight: 5.1 lb/2.3 kg

Remote Control

Features

Source search, computer, video, USB, power, aspect,
color mode, volume, e-zoom, A/V mute, freeze, menu,
esc, enter, page up and down, help, auto, mouse
functions, user, num, pointer

Operating Angle

Right/left: ± 30 degrees

Upper/lower: ± 15 degrees

Operating Distance

19' (6 m)

Support — The Epson ConnectionSM

Pre-sales support

U.S. and Canada 800-463-7766

Internet website www.epson.com

Service Programs

Two-year projector limited warranty,
Epson Road Service program,
Epson PrivateLine[®] dedicated toll-free
support and 90-day limited lamp warranty

What's In The Box

Power cord, computer cable (VGA), soft carrying case,
projector remote control, batteries, user manual CD,
Quick Setup Sheet, PrivateLine support card,
registration card and password protection sticker

Accessory Part Numbers

| | |
|--|------------|
| Universal projector ceiling mount | ELPMBPJF |
| Adjustable suspended ceiling channel kit | ELPMBP01 |
| False ceiling plate kit | ELPMBP02 |
| Structural round ceiling plate | ELPMBP03 |
| Adjustable extension column (pipe) 8" - 11" | ELPMBP06 |
| DC-06 document camera (ELPDC06) | V12H321001 |
| Component to VGA video cable | ELPKC19 |
| S-video cable | ELPSV01 |
| Swiss Gear [®] backpack | ELPKS63 |
| Wheeled soft case | ELPKS62 |
| Soft shoulder case for projector and laptop | ELPKS61 |
| Molded hardshell case | ELPKS58 |
| 50" portable screen | ELPSC06 |
| 80" portable pop-up screen | ELPSC08 |
| Duet™ screen | ELPSC80 |
| Epson DC-10s document camera | ELPDC10S |
| Kensington security lock | ELPSL01 |

Packaging Specifications

PowerLite S7

Dimensions 15.1" x 14.2" x 6.5" (W x D x H)

Weight 10 lb

Replacement Lamp

Dimensions 6.3" x 5.6" x 5.6" (W x D x H)

Weight 0.7 lb

Master Carton

Dimensions 28.4" x 13.1" x 6.8" (W x D x H)

Weight 9.3 lb

Units Per Master Carton 10

Replacement Air Filter Set

Dimensions 4.8" x 3.5" x 1.9" (W x D x H)

Weight 0.1 lb

Master Carton

Dimensions 10.1" x 7.3" x 5.7" (W x D x H)

Weight 1.3 lb

Units Per Master Carton 10


* Light output varies depending on modes (color and white light output). White light output measured using ISO 21118 standard.

** Data source: ProjectorCentral.com, Jan. 2009. Average of 796 shipping models, for which manufacturers provided lumens and total power data, all resolutions and brightness levels.

*** Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.

**** See our website for convenient and reasonable recycling options at www.epson.com/recycle

EPSON[®]
EXCEED YOUR VISION



Epson PowerLite[®] S7 MULTIMEDIA PROJECTOR



Brilliant features. Amazing value.

For vibrant presentations in the classroom and the conference room, you can rely on the Epson PowerLite S7. Epson 3LCD technology, SVGA resolution and 2300 lumens of color and white light output* deliver sharp presentations with vibrant, full-time color that's sure to impress your audience. USB Plug 'n Play connectivity makes setup a breeze. And built-in closed captioning and versatile connectivity options ensure this lightweight projector is ready to perform where and when you need it.

Brilliant image quality and detail — native SVGA resolution

Super bright and colorful — 2300 lumens color light output, 2300 lumens white light output*



Epson PowerLite® S7 MULTIMEDIA PROJECTOR

The best-selling projectors in the world.


Epson offers a wide range of high-quality projectors to meet almost any need. Built with image quality and reliability in mind, Epson projectors enhance communication and inspire collaboration, while offering a low total cost of ownership. From ultraportable projectors designed for educational settings to boardroom-ready business projectors, Epson has the model made for you.



3LCD technology — for quality and color that's beyond amazing

Innovative technology with proven reliability


- 3 chips for full-time, vibrant color
- 25% less electricity required per lumen of brightness when compared to 1-chip DLP projectors**
- Road-tested reliability from a company with over 20 years of experience



▲ 3LCD technology

Energy-efficient E-TORL® lamp, exclusively from Epson

- Delivers more lumens per watt and lasts up to 5000 hours***
- Minimizes both light diffraction and light leakage
- Up to 65% longer lamp life than competitive products
- E-TORL replacement lamps cost up to \$50 less than competing replacement lamps
- E-TORL lamps maximize your presentation time, while minimizing your costs



▲ E-TORL lamp



▲ Compact and portable design



Eco features

- Energy-efficient 3LCD light engine
- Energy-efficient E-TORL lamp
- Designed to be recycled****

Better Products for a Better Future™

For more information on Epson's environmental programs, go to eco.epson.com



Fast, easy setup and control

- **Instant Off®** — no cool down time required, so it's ready to shut down when you are
- **A/V Mute Slide** — control your presentation; it's right at your fingertips
- **Sleep Mode** — set from 1 to 30 minutes to save energy when the A/V Mute Slide is closed or no signal is detected
- **1.35x digital zoom** — offers great positioning flexibility
- **Direct Power On/Off** — power the projector on and off with the flip of a wall switch

Brilliant image quality and detail

Resolution defines the level of detail and depth you'll see in a projected image. It's measured as the number of pixels high by the number of pixels wide. The more pixels, the better the image quality.



800 x 600
Meets basic projection needs



1024 x 768
Ensures sharper detail



1280 x 800
Offers the highest quality and is ideal for widescreen (16:10) display

Amazing light output

- 2300 lumens of color light output and 2300 lumens of white light output*
- High color light output for bright, balanced, colorful images
- Light output and performance to meet your expectations
- White light output that's measured using ISO 21118 (a more rigid standard than the outdated ANSI lumens rating used by competitive products)



High color light output



Low color light output

Actual photographs of images taken from two competing projectors run in default mode. Price, resolution and brightness (white light output) are the same for both projectors.

USB Plug 'n Play instant setup

- No more pressing computer function keys or carrying bulky VGA cables
- Just plug in a standard USB cable and instantly project from a PC!
- This USB connection also enables you to maintain control over your presentation with the page up/page down function on the remote control



Built-in closed captioning



- **Essential for education** — helps meet ADA508 requirements for students with hearing impairments
- **Helps save money** — no need to pay for an additional decoder and its installation
- **Effective and easy to use** — easily enabled or disabled through the projector remote or menu



Additional features

- **Versatile audio connectivity**
Audio out connection to connect to an external amplification device
- **Included carrying case**
Offers easy portability and protection when stored