

## PowerLite<sup>®</sup> 1770W MULTIMEDIA PROJECTOR



# The slim ultraportable with ultra bright, widescreen performance.

The PowerLite 1770W sets a high standard for widescreen projectors with its ultra sleek design and energy-efficient lamp. It delivers value, convenience and performance. The PowerLite 1770W features native WXGA (1280 x 800) resolution — a must-have for delivering HD video content or high-resolution images from your widescreen notebook. Couple that with 3000 lumens color light output and 3000 lumens white light output,<sup>1</sup> and the results are truly amazing. Weighing just 3.7 lb and just 1.7" tall, the PowerLite 1770W is ready to travel when you are! Projecting is simple, on a Mac<sup>®</sup> or PC, with many connection options including USB, HDMI, PC-free or optional wireless. Automatic vertical keystone correction makes setup easy. The PowerLite 1770W is also equipped with a long-life UHE lamp that lasts up to 4000 hours.<sup>2</sup> So you get amazing performance, ease of use and brilliant output — all from one ultra-thin projector.

Lightweight and travel friendly — thin as a laptop, weighs just 3.7 lb

**Ultra bright, widescreen performance** — 3000 lumens color/white light output;<sup>1</sup> native WXGA (1280 x 800) resolution (16:10)

**Flexible connectivity** — connect via USB, HDMI, VGA or Composite video either from a Mac or PC **Wireless capable** — use the optional wireless LAN module to wirelessly project content from a computer or access a network to monitor and control the projector

PC-free presentation — simply insert a USB memory device and project



## **PowerLite® 1770W** MULTIMEDIA PROJECTOR


## The best-selling projectors in the world.

Epson understands business and education and has a solution no matter what your situation. Built with image quality and reliability in mind, Epson projectors enhance communication and inspire collaboration, while offering a low total cost of ownership. From long-throw projectors to ultra-short-throw and all-in-one solutions, Epson has the model made for you.

## **3LCD** technology — for quality and color that's beyond amazing

- 3 chips for full-time, vibrant color
- 25% less electricity required per lumen of brightness when compared to 1-chip DLP projectors<sup>3</sup>
- Road-tested reliability from a company with over 20 years of experience





### **Bright light output**

- 3000 lumens color light output and 3000 lumens white light output<sup>1</sup>
- Bright, balanced, colorful images
- Incredible image quality and performance to meet your expectations
- White light output that's measured using ISO 21118 (a more rigid standard than the outdated ANSI lumens rating used by competitive products)



Actual photographs of images taken from two competing projectors run in default mode. Price, resolution and brightness (white light output) are the same for both projectors.

### Ultraportable design





**SmartWav** 

Transport Partner

### Better Products for a Better Future™

For more information on Epson's environmental programs, go to eco.epson.com

Energy-efficient 3LCD light engine

**Eco Features** 

- RoHS compliant
- Designed to be recycled<sup>4</sup>
- Epson America, Inc. is a SmartWay<sup>SM</sup> Transport Partner<sup>5</sup>



## **Convenient for on-the-go**

## USB Plug 'n Play instant setup — compatible with Windows<sup>®</sup> and Mac

- No more computer function keys or bulky VGA cables
- Just plug in a standard USB cable and instantly project
- Instantly view images on both the screen and your computer; one standard USB cable does it all!



### Fast, easy setup and control

- Automatic vertical keystone correction makes setup and placement a snap
- Instant Off<sup>®</sup> no cool down time required, so it's ready to shut down when you are
- A/V Mute Slide control your presentation; it's right at your fingertips
- Sleep Mode set from 1 to 30 minutes to save energy when the A/V Mute Slide is closed or no signal is detected
- 1.2x optical zoom offers great positioning flexibility to fit large or small rooms
- Direct Power On/Off power the projector on and off with the flip of a wall switch

## Convenient web remote control feature (with optional wireless LAN card)

- Virtual projector remote control via a web browser (works when projector is connected to the network)
- Control power on/off, source, volume, page up/down functions and more from your computer
- Supports multiple web browsers (Windows and Mac compatible)
- No special applications or software necessary

### Quick reference — choose the right model

PowerLite Model	PowerLite 1750	PowerLite 1760W	PowerLite 1770W	PowerLite 1775W
Native Resolution	XGA	WXGA	WXGA	WXGA
Light Output (Color/White)	2600/26001	2600/26001	3000/3000 <sup>1</sup>	3000/3000 <sup>1</sup>
Weight	3.7 lb	3.7 lb	3.7 lb	3.8 lb
USB	~	~	~	~
HDMI	_	~	~	~
Horizontal Keystone	Manual	Manual	Manual	Auto
Vertical Keystone	Auto	Auto	Auto	Auto
Auto Screen Fit	_	_	_	~
Wireless Networking	_	Optional	Optional	Included
Quick Connect Wireless via USB Key	-	Optional key and wireless LAN card required	Optional key and wireless LAN card required	Included

### **PowerLite 1770W Features**

- Wireless capablilities
- PC-free presentations
- HDMI connectivity
- Added features, no added cost
- Carrying case included
- Message broadcasting with optional wireless LAN card
- Filters to protect your investment

### Protect your investment with Epson's long-life filter

### WXGA (1280 x 800), 16:10 resolution for remarkable detail and widescreen convenience







800 x 600

1024 x 768

1280 x 800

## EPSON<sup>®</sup> EXCEED YOUR VISION

## PowerLite<sup>®</sup> 1770W

Multimedia Projector

Product Name PowerLite 1770W Genuine Epson Lamp Replacement Air Filter

# Product Code UPC V11H362020 0 10343 87995 9 V13H010L65 0 10343 88054 2 V13H134A31 0 10343 88053 5

### Specifications

**Projection System** Epson 3LCD, 3-chip technology **Projection Method** Front/rear/ceiling mount Driving Method Epson Poly-silicon TFT Active Matrix **Pixel Number** 1,024,000 dots x 3 (1280 x 800) LCDs White Light Output<sup>1</sup> 3000 lumens (ISO 21118 standard) Color Light Output<sup>1</sup> 3000 lumens Aspect Ratio 16:10 (supports 4:3 and 16:9) **Native Resolution** 1280 x 800 (WXGA) Resize 640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1600 x 1200 (UXGA) Lamp Type 230 W UHE Lamp Life<sup>2</sup> 4000 hours (EC0 Mode) 4000 hours (Normal Mode) **Throw Ratio Range** 1.35 - 1.62 Size (projected distance) 30" - 300" 16:10 (2.2' - 26.8') Keystone Correction (automatic) Vertical: ± 30 degrees (± 45 manual) Horizontal: ± 30 degrees manual **Contrast Ratio** Up to 2000:1 **Color Reproduction** 16.77 million colors Plug 'n Play Projector is compatible with PC & Mac computers

### **Projection Lens**

 Type

 Manual focus/Manual zoom

 F-number

 1.58 – 1.7

 Focal Length

 13.52 – 16.22 mm

 Zoom Ratio

 Optical zoom 1.0 – 1.2

### Other

**Display Performance** NTSC: 480 line PAL: 576 line (depends on observation of the multi-burst pattern) Input Signal NTSC/NTSC4.43/PAL/M-PAL/N-PAL/ PAL60/SECAM SDTV/HDTV Interfaces Computer/component video: Mini D-sub HD 15 pin x 1 Composite video: RCA x 1 Audio in: Mini stereo x 1 in or out user selectable Variable audio out: Mini stereo x 1 in or out user selectable USB connector: Type B x 1(USB display with audio and mouse/keyboard control) Type A x 1 (for USB memory device) номі Wireless port 802.11 b/g/n (optional module sold separately) Audio Output 1 W mono speaker Audio Signal 500mV rms/47K ohm **Operating Temperature** 41 ° to 95 °F (5 ° to 35 °C) **Power Supply Voltage** 100 - 240 V ± 10%, 50/60 Hz AC **Power Consumption** Network on: 212 W, 7.4 W standby Network off: 0.38 W standby Fan Noise High Light Output Mode: 40 dB Low Light Output Mode: 30 dB Security Kensington®-style lock provision

Video Video USB (Type A) Audio HDMI USB (Type B)

### Dimensions (W x D x H)

Including feet: 11.5" x 8.3" x 2.1" Excluding feet: 11.5" x 8.3" x 1.7" Weight: 3.7 lb

### **Remote Control**

Features Power, source search selection, computer, video, AV mute, freeze, user ID,auto, aspect, color mode, num, page up and down, E-zoom, volume, help, menu, enter, esc and pointer functions **Operating Angle** Right/left: Front: ± 60 degrees Rear: ± 30 degrees Upper/lower: Front: ± 30 degrees Rear: ± 30 degrees Rear: ± 30 degrees

**Operating Distance** 19.7 ft

### Support

The Epson Connection<sup>SM</sup> Pre-sales support U.S. and Canada 800-463-7766 Internet website www.epson.com

### Service Programs

Two-year limited warranty, Epson Road Service program, Epson PrivateLine® dedicated toll-free support (U.S. and Canada only) and 90-day limited lamp warranty

### What's In The Box

PowerLite 1770W projector, power cable, computer cable (VGA), projector remote control with batteries, USB cable, audio adapter, soft carrying case, user manual CD, Quick Setup Sheet, PrivateLine support card, registration card, password protection sticker and security screw

### **Accessory Part Numbers**

Genuine Epson Lamp	V13H010L65			
Distribution amplifier	ELPDA01			
Image presentation camera				
(ELPDC06)	V12H321005			
DC-10S Document camera	ELPDC10S			
DC-11 Document camera				
(ELPDC11)	V12H377020			
Replacement wireless LAN module V12H418P12				
Quick Connect wireless USB key	V12H005M08			
Component to VGA video cable	ELPKC19			
60" portable roll screen (4:3)	ELPSC27			
80" portable roll screen (4:3)	ELPSC28			
100" roll screen (4:3)	ELPSC29			
Duet <sup>™</sup> screen	ELPSC80			
ES3000 ultraportable				
Projector Screen	V12H002S3Y			
53" magnet type screen (4:3)	ELPSC30			
64" magnet type screen (4:3)	ELPSC31			

### **Packaging Specifications**

### PowerLite 1770W

Dimensions 11.2" x 17.1" x 4.8" (W x D x H) Weight 8.1 lb

### Genuine Epson Lamp

Dimensions 5.1" x 5.5" x 5.6" (W x D x H) Weight 0.6 lb Master Carton Dimensions 11.5" x 26.1" x 6.8" (W x D x H) Weight 7.2 lb Units Per Master Carton 10

### Replacement Air Filter

Dimensions 3.5" x 4.8" x 1.9" (W x D x H) Weight 0.1 lb Master Carton Dimensions 7.3" x 10.1" x 5.7" (W x D x H) Weight 1.4 lb Units Per Master Carton 10

- 1 Light output varies depending on modes (color and white light output). White light output measured using ISO 21118 standard.
- 2 Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.
- 3 Data source: ProjectorCentral.com, Jan. 2010. Average of 910 shipping models for which the manufacturers provided lumens and total power data, all resolutions and brightness levels.
   4 See our website for convenient and reasonable recycling options at www.epson.com/recycle
- 5 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

#### Epson America, Inc.

3840 Kilroy Airport Way, Long Beach, CA 90806

#### Epson Canada, Ltd. 3771 Victoria Park Avenue, Toronto, Ontario M1W 325

www.epson.com www.epson.ca

Epson and Instant Off are registered trademarks, Epson Exceed Your Vision is a registered logomark, and Better Products for a Better Future is a trademark of Seiko Epson Corporation. PowerLite and PrivateLine are registered trademarks, Duet is a trademark and Epson Connection is a service mark of Epson America, Inc. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2010 Epson America, Inc. CPD-32390 9/10